TigerLite

- 1. Open case and remove the fabric wrap from the case tray and place to the side.
- 2. Slide finished blotter out of the first slot and place to the side.
- 3. Once display is built, place the lid on the case with the handle (mini case) or the extended side of the larger case to the front of your space. Close and latch case lid.
- 4. Next carefully stretch fabric wrap over and around case. (See tag on wrap or to your right for further details) Pull the top of the wrap far enough down so the top of the case is exposed. Be careful not to snag it on any sharp edges or hook Velcro.
- 5. Pull top of fabric back up and over the top of the lid and secure velcro tabs to the case lid. Be sure the zipper of the wrap is over the case door, which is considered the backside.
- 6. Pull the fabric down and under the bottom of the case for a snug fit. Place finished blotter on top of the case lid to finish your podium look.

Read Case Wrap Tag Instructions

TigerLite

white veicro on case iid will indicate the front of the lid. To install, match the White Velcro tab on the lid with the White Velcro tab on the case wrap.

If your case has a door, be sure the door is positioned on the backside of your case. Align door with the case wrap zipper.

For further instructions, review the provided case to counter set-up sheet in your case.

Fire retardent certificate available upon request.

Machine wash on cold gentle cycle with non bleach deteregent. Air dry only

866.206.9405





Case to Counter Conversion